



Humming Refinish catalogue

A complete refinish system and every consumable for the prep bay.

2026 · humming-refinish.com

Refinish system

Clear coats, hardeners, thinners, primers and fillers formulated to work together.



Ref. 178
2K UHS clear coat
Ultra-high-solids clear coat with high gloss and excellent flow.
1L / 5 L
Type : 2K UHS clear coat ·
Matching system : 301 hardener, 501 thinner



Ref. 301
2K standard hardener
The standard hardener for 178 UHS clear coat.
1L / 2.5 L
Type : 2K hardener · Matching system : 178 clear coat



Ref. 501
2K standard thinner
The thinner for the Humming refinish system.
1L / 5 L
Type : 2K thinner



Ref. 602
2K filler primer
A high-build filler primer that sands easily.
1L
Type : 2K high-build filler primer



Ref. 701
Polyester body filler
The all-purpose filler for the workshop.
1 kg
Type : Polyester body filler

Masking and protection

Tapes, papers, films and covers to protect exactly what needs protecting, without leaving a mark.




Ref. MSQ-101

General-purpose masking tape

The everyday crepe tape that sticks to almost anything and tears by hand.

12 mm × 50 m / 18 mm × 50 m /
24 mm × 50 m / 36 mm × 50 m /
48 mm × 50 m

Thickness : 155 ± 10 µm ·
Temperature resistance : 70 °C ·
Adhesion to steel (180° peel) : 5.9
N/25 mm · Tensile strength : 52.3
N/25 mm



Ref. MSQ-102

Orange washi masking tape 80 °C

Thin, precise washi tape for clean masking lines, up to 80 °C.

12 mm × 50 m / 18 mm × 50 m /
24 mm × 50 m / 36 mm × 50 m /
48 mm × 50 m

Thickness : 110 ± 5 µm ·
Temperature resistance : 80 °C
for 30 min · Adhesion to steel
(180° peel) : 4 N/25 mm · Tensile
strength : 50 N/25 mm



Ref. MSQ-103

Automotive masking tape 80 °C

Strong bodyshop masking tape that withstands 80 °C for 30 minutes.

12 mm × 50 m / 18 mm × 50 m /
24 mm × 50 m / 36 mm × 50 m /
48 mm × 50 m

Thickness : 175 ± 5 µm ·
Temperature resistance : 80 °C
for 30 min · Adhesion to steel
(180° peel) : 6 N/25 mm · Tensile
strength : 80 N/25 mm



Ref. MSQ-104

Light yellow automotive masking tape 80 °C

Light yellow bodyshop masking tape with good adhesion, rated to 80 °C.

12 mm × 50 m / 18 mm × 50 m /
24 mm × 50 m / 36 mm × 50 m /
48 mm × 50 m

Thickness : 170 ± 5 µm ·
Temperature resistance : 80 °C
for 30 min · Adhesion to steel
(180° peel) : 7.5 N/25 mm · Tensile
strength : 65 N/25 mm



Ref. MSQ-105

Coloured automotive masking tape

Coloured masking tape to mark out and organise your work areas.

12 mm × 50 m / 18 mm × 50 m /
24 mm × 50 m / 36 mm × 50 m /
48 mm × 50 m

Thickness : 150 ± 5 µm ·
Temperature resistance : 80 °C
for 30 min · Adhesion to steel
(180° peel) : 7 N/25 mm · Tensile
strength : 70 N/25 mm



Ref. MSQ-106

High-temperature washi masking tape 100 °C

Thin, clean-edged washi tape that withstands 100 °C for 60 minutes: ideal for blends and lines.

12 mm × 50 m / 18 mm × 50 m /
24 mm × 50 m / 36 mm × 50 m /
48 mm × 50 m

Thickness : 105 ± 10 µm ·
Temperature resistance : 100 °C
for 60 min · Adhesion to steel
(180° peel) : 2.5 to 4.5 N/25 mm
(blue: 3.5 to 4.5 N/25 mm) ·
Tensile strength : 80 ± 5 N/25 mm
(blue: 80 N/25 mm)



Ref. MSQ-107

Purple washi masking tape 100 °C

Low-tack purple washi tape for delicate surfaces, up to 100 °C.

12 mm × 50 m / 18 mm × 50 m /
24 mm × 50 m / 36 mm × 50 m /
48 mm × 50 m

Thickness : 110 ± 10 µm ·
Temperature resistance : 100 °C
for 60 min · Adhesion to steel
(180° peel) : 1.5 to 2.8 N · Tensile
strength : 110 N/25 mm



Ref. MSQ-108

UV-resistant washi masking tape 100 °C

UV-resistant washi tape rated to 100 °C, for masking that needs to stay on.

12 mm × 50 m / 18 mm × 50 m /
24 mm × 50 m / 36 mm × 50 m /
48 mm × 50 m

Thickness : 130 ± 10 µm ·
Temperature resistance : 100 °C
for 60 min · Adhesion to steel
(180° peel) : 7.5 N · Tensile
strength : 65 N/25 mm



Ref. MSQ-109

Brown automotive masking tape 90 °C

Tough brown bodyshop masking tape that withstands 90 °C for 30 minutes.

12 mm × 50 m / 18 mm × 50 m /
24 mm × 50 m / 36 mm × 50 m /
48 mm × 50 m

Thickness : 145 ± 10 µm ·
Temperature resistance : 90 °C
for 30 min · Adhesion to steel
(180° peel) : 7.0 N/25 mm · Tensile
strength : > 70 N/25 mm



Ref. MSQ-110

High-temperature masking tape 120 °C

High-temperature crepe tape: holds for 60 minutes at 120 °C.

12 mm × 50 m / 18 mm × 50 m /
24 mm × 50 m / 36 mm × 50 m /
48 mm × 50 m

Thickness : 150 ± 5 µm ·
Temperature resistance : 120 °C
for 60 min · Adhesion to steel
(180° peel) : 6 N/25 mm · Tensile
strength : 100 N/25 mm



Ref. MSQ-111

Pre-taped masking film

Film and tape in one: mask large areas quickly and cleanly.

55 cm × 30 m / 110 cm × 30 m / 140 cm × 30 m / Made to measure

Material : HDPE · Thickness : 8 µm
· Integrated tape : Yellow masking tape, 15 mm · Colours : White, Green, Blue



Ref. MSQ-112

White masking paper

Lint-free, lightweight coated masking paper for fast, clean masking.

225 mm × 200 m / 300 mm × 200 m / 450 mm × 200 m / 600 mm × 200 m / 900 mm × 200 m

Material : Lightweight coated paper · Paper weight : 40 or 64 g/m² · Colours : White



Ref. MSQ-113

Kraft masking paper

Thin, easy-to-handle kraft paper, from everyday masking to the most complex parts.

225 mm × 200 m / 300 mm × 200 m / 450 mm × 200 m / 600 mm × 200 m / 900 mm × 200 m

Material : Kraft paper · Paper weight : 40 g/m² · Colours : Brown



Ref. MSQ-114

Full-vehicle masking film

Wide electrostatic film: one person can mask the whole vehicle.

3.8 m × 100 m / 4 m × 300 m / Made to measure

Material : HDPE · Thickness : 8, 9 or 10 µm · Property : Electrostatic, treated for paint adhesion · Colours : Clear



Ref. MSQ-115

Pre-taped kraft masking paper with washi tape

Kraft paper and washi tape already combined: faster masking, residue-free removal.

18 cm × 20 m / 30 cm × 20 m / 45 cm × 20 m / 60 cm × 20 m / 90 cm × 20 m

Material : Kraft paper + washi tape
· Paper thickness : 50 to 55 µm · Paper weight : 40 g/m² · Washi tape temperature resistance : 100 °C




Ref. MSQ-116

Disposable plastic seat cover

The disposable cover that protects seats while the car is in the workshop.

130 × 80 cm

Dimensions : 130 × 80 cm · Material : LDPE / HDPE · Thickness : 13 µm · Colour : White



Ref. MSQ-117

5-in-1 disposable interior protection kit

Seat, steering wheel, handbrake, gear lever and floor protected in a single kit.

5-piece kit

Seat cover : 1,300 × 800 mm, 20 µm, LDPE · Steering wheel cover : 1,300 × 100 mm, 20 µm · Handbrake cover : 14 × 16 cm, 20 µm · Gear lever cover : 14 × 16 cm, 20 µm



Ref. MSQ-118

Disposable paper floor mat

The disposable paper mat that keeps the customer's carpet clean.

50 × 38 cm

Dimensions : 50 × 38 cm · Material : 80 g/m² kraft paper



Ref. MSQ-119

Plastic vehicle protection cover

The plastic cover that protects the bodywork from dust and the weather.

4 × 5 m / 4 × 7 m

Thickness : 7 µm · Dimensions : 4 × 5 m or 4 × 7 m



Ref. MSQ-120

Aperture masking foam

The foam roll that keeps overspray out of door shuts, with no hard edge.

13 mm × 50 m

Dimensions : 13 mm × 50 m ·
Material : Foam · Adhesive :
Single-sided · Colour : White



Ref. MSQ-121

Vinyl fine line masking tape

Flexible vinyl tape that follows curves and gives sharp separation lines, with no residue.

3 mm × 33 m / 5 mm × 33 m / 6 mm × 33 m / 9 mm × 33 m

Material : Vinyl · Thickness : 120 ± 30 µm · Temperature resistance : 150 °C for 30 min · Removal : No residue

Abrasives and sanding

Discs, sheets, sponges, sanding blocks and interface pads, from rough sanding to finishing.



Ref. ABR-101

Silicon carbide wet & dry sheet P1500 / P2000

Very fine P1500 and P2000 grits for denibbing and finishing, wet or dry.

228 × 139 mm – P1500 / 228 × 139 mm – P2000

Size : 228 × 139 mm · Grits : P1500, P2000 · Abrasive mineral : Silicon carbide · Backing : A-weight paper




Ref. ABR-102

Charcoal grey ultra-fine non-woven abrasive pad

Ultra-fine non-woven pad for keying before painting, without the drawbacks of steel wool.

6 × 9 in

Size : 6 × 9 in · Grit : Ultra-fine · Abrasive mineral : Silicon carbide · Special feature : Pre-cut, splits in two; washable and reusable



Ref. ABR-103

Red very fine non-woven abrasive pad

The all-round red pad for keying and preparing before painting.

6 × 9 in

Size : 6 × 9 in · Grit : Very fine (equivalent to grade 1 steel wool) · Abrasive mineral : Aluminium oxide · Special feature : Pre-cut, splits in two; washable and reusable



Ref. ABR-104

Aluminium oxide hook-and-loop paper disc

Fast-cutting, long-lasting disc, from P80 to P400.

5 in – P80 to P400 / 6 in – P80 to P400

Diameters : 5 in, 6 in · Grits : P80, P120, P180, P240, P320, P400 · Abrasive mineral : Aluminium oxide · Attachment : Hook-and-loop



Ref. ABR-105

Hook-and-loop hand sanding block

A flexible, comfortable block for even sanding of primers and curved panels.

66 × 122 mm / 70 × 198 mm / 67 × 400 mm

Dimensions : 66 × 122 mm, 70 × 198 mm, 67 × 400 mm · Material : Flexible foam · Backing : Hook-and-loop · Colours : Yellow



Ref. ABR-106

Mouse sanding block for discs

Round block with angled sides for hand sanding with your 5 or 6 in discs.

5 in / 6 in

Diameters : 5 in, 6 in · Backing : Hook-and-loop · Colours : Yellow



Ref. ABR-107

Dust-extraction hand sanding block

Connect your extractor to the block: clean, dust-free hand sanding.

125 × 70 mm / 200 × 70 mm / 400 × 70 mm / 230 × 115 mm

Sizes : 125 × 70 mm, 200 × 70 mm, 400 × 70 mm, 230 × 115 mm
 · Dust extraction : Extractor hose connector · Backing : Hook-and-loop
 · Colours : Red and black, White and black




Ref. ABR-108

Foam and plastic sanding block

Light block that keeps its shape, for wet or dry sanding, washable and reusable.

Short 13.5 × 7 × 3 cm – green / Long 22.5 × 7 × 3 cm – green / Short 13.5 × 7 × 3 cm – white / Long 22.5 × 7 × 3 cm – white

Dimensions : 13.5 × 7 × 3 cm (short); 22.5 × 7 × 3 cm (long) · Material : Foam and plastic · Properties : Does not absorb water or oil, keeps its shape, washable · Use : Wet or dry



Ref. ABR-109

Foam and aluminium sanding block

Rigid aluminium-based block that keeps its shape, for flat wet or dry sanding.

Short 13.5 × 7 × 3 cm / Long 22.5 × 7 × 3 cm

Dimensions : 13.5 × 7 × 3 cm (short); 22.5 × 7 × 3 cm (long) · Material : Foam and aluminium alloy · Properties : Does not absorb water or oil, keeps its shape, washable · Use : Wet or dry



Ref. ABR-110

Rubber sanding block

Firm, ergonomic rubber block for wet or dry hand sanding.

12.5 × 6.7 × 3 cm

Dimensions : 12.5 × 6.7 × 3 cm · Material : Rubber · Hardness : Firm · Use : Wet or dry




Ref. ABR-111

Soft hook-and-loop interface pad for sanders

Perforated interface pad that protects the backing pad and follows curves, in 5 or 6 in.

5 in / 6 in

Diameters : 5 in, 6 in · Hole pattern : 5 + 1, 6 + 1 and others · Density : Soft · Colours : Black




Ref. ABR-112

Dry sanding paper disc – standard grade

The all-round paper disc for preparation before painting, from rough sanding to finishing.

5 in – 6 holes / 6 in – 9 holes

Diameter : 5 in (6 holes) or 6 in (9 holes) · Grits : P60, P80, P120, P180, P240, P320, P400, P500, etc. · Use : Dry, orbital / random orbital sander



Ref. ABR-113

Green dry sanding paper disc

A green paper disc with a very wide grit range, from P40 to P3000.

5 in – 6 holes / 6 in – 9 holes

Diameter : 5 in (6 holes) or 6 in (9 holes) · Grits : P40, P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P400, P500, P600, P800, P1000, P1200, P1500, P2000, P2500, P3000 · Colour : Green · Use : Dry, orbital / random orbital sander




Ref. ABR-114

Yellow dry sanding paper disc

The yellow paper disc for bodywork preparation, from P40 to P1000.

5 in – 6 holes / 6 in – 9 holes

Diameter : 5 in (6 holes) or 6 in (9 holes) · Grits : P40, P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P400, P500, P600, P800, P1000 · Colour : Yellow · Use : Dry, orbital / random orbital sander




Ref. ABR-115

Foam-backed flexible abrasive roll

The flexible abrasive roll that follows contours and gets into hard-to-reach areas.

114 mm × 25 m

Dimensions : 114 mm × 25 m · Grits : P40 to P800 · Use : Dry or wet



Ref. ABR-116

Flexible abrasive sponge

The soft abrasive sponge for even hand sanding on curves and rounded shapes.

120 × 98 × 13 mm

Dimensions : 120 × 98 × 13 mm · Abrasive : Aluminium oxide · Backing : TPU film + foam · Grits : P180, P220, P280, P320




Ref. ABR-117

Ceramic mesh abrasive – strip

Fast-cutting ceramic mesh abrasive for dust-free, clog-free sanding.

70 × 198 mm / 70 × 400 mm

Dimensions : 70 × 198 mm or 70 × 400 mm · Abrasive : Ceramic + aluminium oxide · Backing : PE mesh · Coating : Open coat



Ref. ABR-118

Ceramic mesh abrasive disc

The ceramic mesh disc: full extraction, fast cut and long life.

150 mm

Diameter : 150 mm · Abrasive : Ceramic + aluminium oxide · Backing : PE mesh · Coating : Open coat



Ref. ABR-119

Ceramic paper abrasive disc

The ceramic disc that cuts fast, lasts long and needs less pressure.

5 in / 6 in

Diameter : 5 in or 6 in · Abrasive : Ceramic + aluminium oxide · Backing : Latex paper · Coating : Open coat




Ref. ABR-120

Non-woven stripping disc

Stripping disc for removing paint and rust from metal, in 5 diameters.

100 mm / 115 mm / 125 mm / 150 mm / 180 mm

Diameters : 100, 115, 125, 150 and 180 mm · Centre hole : With or without hole · Colours : Blue, Purple, Black, Orange




Ref. ABR-121

Zirconia flap disc

Zirconia flap disc for grinding, deburring and finishing, from P40 to P120 grit.

4 in / 4.5 in / 5 in / 6 in / 7 in

Abrasive grain : Zirconia · Grit sizes : P40 to P120 · Diameters : 4, 4.5, 5, 6 and 7 in · Colours : Blue, Red, Black



Ref. ABR-122

Abrasive sheets 23 × 28 cm

Standard-size abrasive sheets, from P60 to P2000, for sanding in vehicle repair.

23 × 28 cm

Size : 23 × 28 cm · Grit sizes : P60, P80, P100, P120, P150, P180, P220, P240, P320, P400, P500, P600, P800, P1000, P1200, P1500, P2000 · Colours : Yellow

Preparation and cleaning

Tack cloths and wipes for a perfectly clean surface.




Ref. PRE-101

Cotton gauze tack cloth

The last step before painting: a surface free of dust and smears.

38 × 80 cm / 45 × 90 cm

Material : 100% cotton gauze ·
Impregnation : Water-based
adhesive · Colours : White, Yellow



Ref. PRE-102

Non-woven tack cloth

Lint-free non-woven tack cloth, in three sizes.

40 × 70 cm / 35 × 40 cm / 25 × 30 cm

Material : Non-woven ·
Impregnation : Water-based
adhesive · Colours : White, Yellow



Ref. PRE-103

Cotton gauze tack cloth, individually wrapped

Cotton gauze tack cloth, ready to use in an individual pouch.

36 × 80 cm

Material : 100% cotton gauze ·
Impregnation : Water-based
adhesive · Colours : Yellow




Ref. PRE-104

Embossed cotton gauze tack cloth

Large embossed tack cloth, ideal before primer and basecoat.

80 × 90 cm / 80 × 110 cm

Material : 100% cotton gauze ·
Impregnation : Alkyd resin blend ·
Impregnation levels : Light,
medium, heavy · Colours : Yellow



Ref. PRE-105

Solvent-resistant meltblown non-woven wipe – box

The lint-free, solvent-resistant wipe, dispensed one sheet at a time.

30 × 35 cm

Dimensions : 30 × 35 cm ·
Material : Meltblown
polypropylene non-woven ·
Colour : Blue · Patterns : Blue
bark, white bark, white square
dots, blue bird's-foot pattern,
white polka dots, fine white dots



Ref. PRE-106

Solvent-resistant meltblown non-woven wipe – roll

Roll of 717 lint-free, solvent-resistant wipes for the paint shop.

24 × 34 cm × 717 sheets

Sheet size : 24 × 34 cm · Sheets
per roll : 717 · Material : Meltblown
polypropylene non-woven ·
Colour : Blue



Ref. PRE-107

1 L hand pump sprayer

1 L pump sprayer with Viton seal, for degreasers and solvent-based cleaners.

1 L

Capacity : 1 L · Seal : Viton · Spray range : 300 mm · Flow rate : 200 ml/s



Ref. PRE-108

Absorbent cotton roll

Absorbent 100% cotton for cleaning, wiping off residue and applying solvents and cleaners.

350 g roll

Material : 100% cotton · Absorbs : Oil and water · Weights : 250 g, 350 g, 450 g · Sizes : 8 × 20 cm; 9 × 15 cm

Mixing and application

Cups, spray gun pots, strainers, spray guns and colour tools for accurate measuring and application.



Ref. MEL-101

Paper paint strainer

Paper strainer with nylon mesh: clean paint, no wasted product.

120 g paper, 190 µm mesh / 120 g paper, 125 µm mesh / 150 g paper, 190 µm mesh / 150 g paper, 125 µm mesh / 160 g paper, 190 µm mesh / 160 g paper, 125 µm mesh / 180 g paper, 190 µm mesh / 180 g paper, 125 µm mesh

Paper weight : 120, 150, 160 or 180 g · Mesh size : 125 µm or 190 µm · Mesh : Nylon · Colours : White




Ref. MEL-102

Paper paint strainer for waterborne paints

Coated paper strainer, designed specifically for waterborne paints.

200 g paper, 125 µm mesh

Material : Coated paper + nylon mesh · Paper weight : 200 g · Mesh size : 125 µm (other mesh sizes available) · Colours : White



Ref. MEL-103

Aluminium paint mixing ruler

One ruler, two mixing ratios: measure your paints and clear coats quickly and accurately.

350 × 30 × 2 mm

Dimensions : 350 × 30 × 2 mm · Material : Aluminium · Colour : Silver · Graduation : One mixing ratio per side (2 ratios)




Ref. MEL-104

Bamboo stirring stick

Bamboo sticks for mixing paints and products, or applying filler and wax.

1.8 × 30 cm

Dimensions : 1.8 × 30 cm · Thickness : 3 mm · Material : 100% bamboo



Ref. MEL-105

Paint pot with lid

The economical pot for storing and delivering your mixed colours, from 0.2 to 2 L.

0.2 L / 0.3 L / 0.5 L / 1 L / 2 L

Capacities : 0.2 L, 0.3 L, 0.5 L, 1 L, 2 L · Lid : Included · Colours : Grey



Ref. MEL-106

Clear graduated mixing cup

Clear graduated cups for accurate measuring of paints and clear coats.

400 ml / 500 ml / 680 ml / 1 L / 1.3 L / 2.4 L

Material : Polypropylene (PP) · Capacities : 400 ml, 500 ml, 680 ml, 1 L, 1.3 L, 2.4 L · Appearance : Clear, graduated · Colours : Clear




Ref. MEL-107

Disposable spray gun cup system

Disposable cup with soft liner: less cleaning, more time in the booth.

400 ml / 600 ml / 800 ml

Capacities : 400 ml, 600 ml, 800 ml · Lid material : PP · Liner material : PE · Plug material : PP



Ref. MEL-108

Metal adaptor for disposable cup

Fit the disposable cup to your spray gun with the right threaded adaptor.

A1 – M14 / A2 – M16 / A3 – Quick-release connector / A4 – M16

Material : Metal · Threads : M14, M16, quick-release connector · Stated compatibility : AccuSpray, Sata Jet, Sata QCC, Warwick




Ref. MEL-109

HVLP gravity-feed spray gun – 1.3 mm nozzle

A light, easy-handling HVLP spray gun with a 1.3 mm nozzle for an even spray.

1.3 mm nozzle

Technology : HVLP · Feed : Gravity · Nozzle : 1.3 mm · Cup : 600 cm³, plastic



Ref. MEL-110

Gravity-feed 1.4 mm / suction-feed 1.7 mm spray gun

Two versions to choose from: gravity feed with 1.4 mm nozzle or suction feed with 1.7 mm nozzle.

Gravity feed – 1.4 mm nozzle / Suction feed – 1.7 mm nozzle

Feed : Gravity (SP-002A) or suction (SP-002B) · Nozzle : 1.4 mm (SP-002A) or 1.7 mm (SP-002B) · Cup : 600 cm³, plastic · Accessories supplied : Connector, open-ended spanner, cleaning brush, hex key



Ref. MEL-111

HVLP gravity-feed or suction-feed spray gun

Lightweight gravity-feed or suction-feed spray gun, for a spray that is easy to control.

Gravity / Suction feed – 1.7 mm nozzle

Technology : HVLP · Feed : Gravity (SP-004A) or suction (SP-004B) · Cup : 600 cm³, plastic · Accessories supplied : Connector, open-ended spanner, cleaning brush, hex key



Ref. MEL-112

Underbody coating / sandblasting gun

The air gun for underbody coatings, sandblasting and blowing off.

21.5 × 13 cm

Dimensions : 21.5 × 13 cm · Working pressure : 0.4 to 0.7 MPa · Maximum pressure : 9 kg/cm² · Unit weight : 0.27 kg (packed)




Ref. MEL-113

Filter for gravity-feed spray guns

The in-gun filter for contaminant-free paint.

11 × 36 mm – 125 µm

Dimensions : 11 × 36 mm · Mesh : 125 µm · Material : Plastic and nylon mesh · Colour : White



Ref. MEL-114

Mixing lid for paint tins

Stirrer lid that clips quickly onto the tin, for solvent-borne and waterborne paints.

4 L tin / 1 L tin

Compatibility : Solvent-borne and waterborne paints, all brands · Fitting : Tin-mounted fitting system · Tin sizes : 4 L and 1 L



Ref. MEL-115

7.5 kg electronic paint mixing scale

Stainless steel digital scale with tare, hold and timer for weighing your colours in the mixing room.

7.5 kg

Maximum capacity : 7.5 kg ·

Platform : Stainless steel ·

Functions : Tare, hold, timer · Feed

: Batteries and mains adaptor supplied



Ref. MEL-116

Metal colour check cards

Chequered metal cards for checking colour, hiding power and effect before painting the vehicle.

148 × 105 mm / 148 × 105 mm

Size : 148 × 105 mm · Material : Metal · Colours : White, Grey, Black



Ref. MEL-117

Touch-up bottles with brush

Graduated bottles with brush cap for supplying and applying touch-up paint.

30 ml (1 oz) – 4 × 5.2 cm / 60 ml (2 oz) – 4 × 7.6 cm

Material : Polyethylene ·

Graduations : Yes · Cap : With built-in brush



Ref. MEL-118

Refillable 2-in-1 touch-up pen

Brush at one end, fine tip at the other: accurate touch-up of chips and scratches.

20 ml

Capacity : 20 ml · Dimensions : 2.1 × 6 × 12.6 cm · Tips : Brush + extra-fine tip · Filling : Refillable



Ref. MEL-119

Car-shaped colour display model

Plastic car body silhouette for viewing colours and effects as they would look on a real vehicle.

20 × 10.8 × 4 cm

Material : Plastic · Dimensions : 20

× 10.8 × 4 cm · Weight : 37 g ·

Option : Magnet

Polishing and buffing

Foam pads, wool pads, microfibres and decontamination for a mirror-like gloss.



Ref. POL-101

150 mm polishing foam – standard range

Washable polishing foam, gentle on paint, with M14 or M16 fitting.

150 × 45 mm – M14 / 150 × 45 mm – M16

Dimensions : 6 in – 150 × 45 mm ·
Fitting : M14 or M16 thread ·
Quality grade : C (standard) · Care : Washable




Ref. POL-102

150 mm polishing foam – premium range

Washable premium polishing foam, M14 or M16 fitting.

150 × 45 mm – M14 / 150 × 45 mm – M16

Dimensions : 6 in – 150 × 45 mm ·
Fitting : M14 or M16 thread ·
Quality grade : B (premium) · Care : Washable



Ref. POL-103

150 mm polishing foam – professional range

Our top-of-the-range polishing foam for a clean, glossy finish.

6 in – M14 / 6 in – M16

Diameter : 6 in · Fitting : M14 or M16 thread · Quality grade : A (professional) · Care : Washable



Ref. POL-104

Single-sided hook-and-loop wool buffing pad

8-inch 100% wool pad for compounding paints and composites.

8 in

Diameter : 8 in · Material : 100% wool · Fitting : Hook and loop · Type : Buffing / polishing



Ref. POL-105

Double-sided screw-on wool buffing pad

8-inch double-sided wool pad: two working faces, one screw-on fitting.

8 in

Diameter : 8 in · Material : 100% wool · Fitting : Screw-on · Type : Buffing / polishing, double-sided



Ref. POL-106

White waffle buffing foam – heavy cut

Waffle foam that holds the compound to remove sanding marks and holograms.

8 in

Diameter : 8 in · Material : Foam · Surface : Waffle · Cut : Heavy



Ref. POL-107

Black waffle finishing foam – soft cut

Black finishing foam for removing holograms and micro-defects.

8 in

Diameter : 8 in · Material : Foam · Surface : Waffle, flat back · Cut : Low (finishing)



Ref. POL-108

Decontamination clay bar

The clay bar that leaves paint perfectly smooth before polishing.

8 × 5.5 × 2 cm / 10.2 × 7 × 3.3 cm

Colour : Blue · Weight : 100 g or 180 g · Dimensions : 8 × 5.5 × 2 cm or 10.2 × 7 × 3.3 cm · Colours : Blue




Ref. POL-109

Washing and drying microfibre cloth

A thick, highly absorbent microfibre cloth that is gentle on paint.

25 × 50 cm / 30 × 40 cm / 30 × 60 cm / 30 × 70 cm / 35 × 35 cm / 35 × 75 cm / 40 × 40 cm / 40 × 60 cm / 60 × 160 cm / 60 × 180 cm

Material : 80% polyester, 20% polyamide · Weight : 420 g/m² · Absorbency : High · Dimensions : 25 × 50, 30 × 40, 30 × 60, 30 × 70, 35 × 35, 35 × 75, 40 × 40, 40 × 60, 60 × 160, 60 × 180 cm



Ref. POL-110

Concave polishing foam

Four concave foams, from cutting to a high-gloss finish.

230 × 38 mm

Dimensions : 230 × 38 mm · Yellow : Medium cut · Blue : Light cut · Green : Soft polishing



Ref. POL-111

Decontamination clay towel

The towel that decontaminates paint twice as fast as a conventional clay bar.

30 × 30 cm – grey / 30 × 30 cm – blue / 30 × 30 cm – red

Dimensions : 30 × 30 cm · Composition : Microfibre + rubberised polymer mesh coating · Colours : Grey, blue, red · Colours : Grey, Blue, Red



Ref. POL-112

Backing plate for rotary polisher

The M14 polisher backing plate, in 5, 6 or 7 inches.

5 in – M14 / 6 in – M14 / 7 in – M14

Diameter : 5, 6 or 7 in · Thread : M14 (M16 and 5/8"-11 mentioned) · Hardness : Medium

Protective equipment

Gloves, masks and overalls for working safely.



Ref. EPI-101

Disposable hooded anti-static overalls

Low-linting, abrasion-resistant painter's overalls that protect against dust and aerosols.

S / M / L / XL / XXL / XXXL

Property : Anti-static, low-linting ·
Resistance : Abrasion, tearing, puncture · Sizes : S to XXXL ·
Colours : Blue, White




Ref. EPI-102

Reusable silicone half-mask respirator

Silicone half mask with exhalation valve, supplied complete with cartridges and pre-filters.

M (complete kit)

Material : Silicone · Valve :
Exhalation valve · Size : M · Kit
contents : 1 half mask, 2
cartridges, 2 filter holders, 2
particulate filters



Ref. EPI-103

Powder-free disposable nitrile gloves

Powder-free, tear-resistant disposable gloves that keep your sense of touch and dexterity.

S / M / L / XL

Material : Nitrile + vinyl · Powder :
Powder-free · Weight per glove :
S: 3.5 ± 0.3 g; M: 4 ± 0.3 g; L: 4.5
± 0.3 g; XL: 5 ± 0.3 g

Workshop accessories

Spreaders, holders, knives and everyday small equipment.



Ref. ACC-101

Spray gun and paint strainer holder

Steel holder that keeps the gravity-feed gun and strainer in place while filling.

22 × 7.5 × 40.5 cm

Material : Steel · Dimensions : 22 × 7.5 × 40.5 cm · Weight : 0.58 kg
· Fitting : Wall or workbench



Ref. ACC-102

Magnetic spray gun holder

Rest your spray gun safely anywhere on a metal surface.

83 × 125 mm

Dimensions : 83 × 125 mm · Fitting : Magnet · Magnet capacity : Approx. 10 lb (≈ 4.5 kg) · Protection : Scratch-resistant coating for cups



Ref. ACC-103

Dispenser for pre-taped masking film

Dispenser with cutter for unrolling and cleanly cutting pre-taped film.

Small model: 10 × 8 cm / Large model: 20 × 8 cm

Material : Plastic · Colours : Blue



Ref. ACC-104

Magnetic masking film cutter

Cut film on the vehicle without ever scratching the paint.

7.5 × 4.5 cm

Material : PS (polystyrene) · Dimensions : 7.5 × 4.5 cm · Blade : Fixed, shielded · Magnet : Yes



Ref. ACC-105

Metal tin opener

Galvanised steel tin opener, tough and compact, always in your pocket.

11.2 × 3.7 cm

Material : Galvanised steel · Dimensions : 11.2 × 3.7 cm · Weight : 20 g · Shaft diameter : 5 mm



Ref. ACC-106

Plastic filler spreader

Flexible spreaders for applying body filler and resin quickly and cleanly.

4 in / 5 in / 6 in / Set of 3 sizes

Widths : 4, 5 and 6 in · Material : 100% plastic · Care : Reusable, cleans by flexing · Colours : Yellow, Pink



Ref. ACC-107

Multi-purpose rubber squeegee

Flexible rubber squeegee for smoothing filler and wiping off sanding slurry.

10.5 × 7.3 cm

Dimensions : 10.5 × 7.3 cm ·

Material : 100% rubber · Colours : Black, Orange, Green, Blue



Ref. ACC-108

Trapezoid rubber squeegee

Trapezoid shape, two sizes: the rubber squeegee for larger areas.

Small – 9.5 × 7.5 cm / Large – 11.5 × 7.9 cm

Shape : Trapezoid · Material : 100% rubber · Dimensions : 9.5 × 7.5 cm (small); 11.5 × 7.9 cm (large) · Colours : Black



Ref. ACC-109

Set of 4 stainless steel filler knives


4 stainless steel knives from 50 to 120 mm with plastic handles: the essentials for applying filler.

Set 50 / 80 / 100 / 120 mm

Widths : 50, 80, 100 and 120 mm ·

Length : 100 mm · Material :

Stainless steel blade, plastic handle · Feature : Handle with 2 holes




Ref. ACC-110

Hook-and-loop sanding pad

Replacement hook-and-loop pad for most air sanders.

5 in – 6 holes / 6 in – 6 holes

Diameter : 5 in or 6 in · Hole pattern : 6 holes · Fitting : Hook and loop



Ref. ACC-111

Non-woven wiping cloth – dispenser box

The tough non-woven cloth that's a better choice than textile rags.

25 × 35 cm

Dimensions : 25 × 35 cm ·

Material : Non-woven · Colours : White or blue · Colours : White, Blue



Ref. ACC-112

Non-woven wiping cloth – roll

Non-woven wipes on a 500-sheet roll, absorbent and strong when wet.

25 × 30 cm × 500 sheets

Sheet size : 25 × 30 cm · Sheets per roll : 500 · Material : Non-woven · Colours : White or blue



Ref. ACC-113


Stainless steel filling knife

Hardened, flexible, rust-resistant stainless steel blade for applying and smoothing filler.

4 in / 6 in / 8 in / 10 in

Blade material : Stainless steel ·

Treatment : High-frequency hardening · Widths : 4, 6, 8 and 10 in



Ref. ACC-114

Metal spray gun keyring

Mini zinc alloy spray gun: the ideal customer gift for bodyshop professionals.

8.5 × 4.2 cm

Material : Zinc alloy · Dimensions : 8.5 × 4.2 cm · Colours : Silver, Gold, Metallic black



Ref. ACC-115

Seam sealer brush

Stiff nylon-bristle brush for applying seam sealers and underbody protection.

25 mm / 30 mm

Widths : 25 mm and 30 mm ·
Bristle length : 48 mm · Thickness
: 10 mm · Handle : Poplar wood



Ref. ACC-116

Eraser wheel for adhesives and decals

Rubber eraser wheel for removing decals, pinstripes and glue residue without damaging the clear coat.

3.5 in / 4 in

Material : Rubber · Rotation speed
: 4,000 rpm · Diameters : 3.5 and
4 in · Colours : Yellow




Ref. ACC-117

Acrylic double-sided tape

High-tack clear acrylic double-sided tape, waterproof and weather-resistant.

10 mm × 10 m / 10 mm × 33 m

Material : Acrylic · Thickness : 1.2
mm · Temperature resistance : 80
°C · 180° peel adhesion to steel :
5,500 g/inch (≈ 53 N/25 mm)




Ref. ACC-118

Hand cleaning paste

Workshop paste for removing paint and stubborn dirt from hands, in a 350 g tube.

350 g

Capacity : 350 g · Packaging :
Tube




Ref. ACC-119

23-piece spray gun cleaning kit

Brushes, needles and lubricant in a case for complete spray gun maintenance.

23-piece case

Contents : 3 mini end brushes with holder, 6 sets of micro-needles with holder, 5 mini brushes, flexible passage brushes in 3 sizes, 1 rigid metal passage brush, 1 large multi-purpose brush, 1 bottle of spray gun lubricant, 1 compartmented case ·
Case dimensions : 10.08 × 7.01 × 1.77 in (approx. 25.6 × 17.8 × 4.5 cm)



Ref. ACC-120

Body clip and fastener assortment case

680 universal clips and removal tools in a case: always the right clip to hand.

680 clips + 45 pieces

Contents : 680 clips + 45-piece kit (including removal tools) ·
Compatibility : Universal, many vehicle models



Humming is sold through your distributor.

You'll find every specification on this site. To buy, go to a Humming distributor near you.

contact@humming-refinish.com · distributeurs@humming-refinish.com
humming-refinish.com

Humming is a brand of Maestro Équipement. All rights reserved.